

Our findings support the proposed detention criteria of PROSEVA trial.¹ The favorable response even after multiple PP sessions, the low rate of severe adverse effects, the favorable results in terms of mortality and the lack of predictors associated with degree of response to the intervention suggest that interrupting the implementation of PP should not be considered even beyond the number of cycles commonly reported in the literature.

Funding sources

This research did not receive any specific grant.

Conflict of interest

None.

Acknowledgments

Lic. Daniela Gilgado (Physical and Respiratory Therapy Service Sanatorio Anchorena San Martín)

Dr. Diego Halac (Chief of Medical Clinic Sanatorio Anchorena San Martín).

References

- Guérin C, Reignier J, Richard JC, Beuret P, Gacouin A, Boulain T, et al. Prone positioning in severe acute respiratory distress syndrome. *N Engl J Med*, 368:2159–68. <https://doi.org/10.1056/NEJMoa1214103>.
- COVID-ICU Group on behalf of the REVA Network and the COVID-ICU Investigators. Clinical characteristics and day-90 outcomes of 4244 critically ill adults with COVID-19: a prospective cohort study. *Intensive care medicine*, 47:60–73. <https://doi.org/10.1007/s00134-020-06294-x>.
- Estensoro E, Loudet CI, Ríos FG, Kanoore Edul VS, Plotnikow G, Andrian M, et al. Clinical characteristics and outcomes of invasively ventilated patients with COVID-19 in Argentina (SATICOVID): a prospective, multicentre cohort study. *Lancet Respir Med* 9:989–98. [https://doi.org/10.1016/S2213-2600\(21\)00229-0](https://doi.org/10.1016/S2213-2600(21)00229-0).
- Shelhamer MC, Wesson PD, Solari IL, Jensen DL, Steele WA, Dimitrov VG, et al. Prone positioning in moderate to severe acute respiratory distress syndrome due to COVID-19: a cohort study and analysis of physiology. *J Intensive Care Med* 36:241–52. <https://doi.org/10.1177/0885066620980399>.
- Weiss TT, Cerda F, Scott JB, Kaur R, Sungurlu S, Mirza SH, et al. Prone positioning for patients intubated for severe acute respiratory distress syndrome (ARDS) secondary to COVID-19: a retrospective observational cohort study. *Br J Anaesth* 126:48–55. <https://doi.org/10.1016/j.bja.2020.09.042>.
- Albert RK, Keniston A, Baboi L, Ayzac L, Guérin C. Proseva Investigators (2014). Prone position-induced improvement in gas exchange does not predict improved survival in the acute respiratory distress syndrome. *Am J Respir Crit Care Med* 189:494–6. <https://doi.org/10.1164/rccm.201311-2056LE>.
- Geissman H, Forsgren A, Andersson E, Lindqvist E, Lipka Falck A, Cronhjort M, et al. Prone positioning in mechanically ventilated patients with severe acute respiratory distress syndrome and coronavirus disease 2019. *Acta Anaesth Scand* 65:360–3. <https://doi.org/10.1111/aas.13741-7>.
- Benaim F, Neira J. Primer Consenso de Úlceras por Presión (PriCUPP). Bases para la implementación de un Programa de prevención, diagnóstico y tratamiento de las Úlceras por Presión. Academia Nacional de Medicina de Buenos Aires; 2017.

M. Accoce^{a,b,*}, M. Calvo Delfino^a, G. Cardoso^a, L. Castro^a, J. Pérez^a, J.H. Dorado^a

^a *Physical and Respiratory Therapy Service, Sanatorio Anchorena San Martín, Buenos Aires, Argentina*

^b *Facultad de Medicina y Ciencias de la Salud, Universidad Abierta Interamericana (UAI), Buenos Aires, Argentina*

* Corresponding author.

E-mail address: matiasaccoce@gmail.com (M. Accoce).

0210-5691/ © 2022 Elsevier España, S.L.U. y SEMICYUC. All rights reserved.

Contents of the reception guide for relatives of Spanish intensive care units: Multicenter study



Contenido de la guía de acogida para familiares de las unidades de cuidados intensivos españolas: Estudio multicéntrico

Information is one the main needs for the families of critically ill patients, and handing out to them a leaflet or a welcome guide at admission contributes to reducing the levels of anxiety involved.¹ Back in 2017, the Spanish Society of Intensive Care Nursing and Coronary Units (SEEIUC) pub-

lished a set of recommendations on how to welcome family members to intensive care units (ICU) recommending the use of written guidelines with information on the characteristics and rules of the ICU, aspects regarding the patient, and questions associated with the family.²

The objective of this study was to describe the content of the welcome guides of Spanish ICUs based on the recommendations set forth by the SEEIUC.

This was a descriptive, cross-sectional, and multicenter trial conducted from September 2019 through February 2020 that included 280 Spanish ICUs of adult patients based on a list created by the Spanish Society of Intensive and Critical Care Medicine and Coronary Units (SEMICYUC). The content of such recommendations was evaluated. The different welcome guides were obtained after contacting personnel from the different ICUs via e-mail, phone call or social media like Twitter or just by checking the hospital official website.

Data from 228 Spanish ICUs (81.4%) were eventually collected with representation from all the different Spanish

DOI of original article: <https://doi.org/10.1016/j.medin.2022.01.007>.




Figure 1 Leaflet distribution of Spanish intensive care units (ICU) per autonomous community.

autonomous communities (Fig. 1). A total of 75.4% of these were public ICUs while 24.6% were private. A total of 51.8% were teaching hospitals.

A total of 89% of the ICUs involved (N = 203) had welcome guides available while 11% (N = 25) offered this information verbally or through posters hanging from the unit walls.

Fig. 2 shows the frequency with which recommendations appeared on the Spanish welcome guides. Fifty per cent of the content of most of these guides was never observed. In 2 ICUs the guides picked up all the recommendations.

Medical information appeared in 100% of the guides. Daily information was provided in 99% of them and schedules were included in 97.5% of the guides. Also, in 47.3% of the guides, information on hospital admission was provided, in 69.5% if there were relevant changes regarding the patient, and in 21.7% upon family request.

Nursing information appeared in 21.7% of the guides. In 65.9% information schedules were specified, and in 38.6% this information schedule matched the visit times.

In 3% of the guides (N = 6) doctor-nurse information appeared altogether.

Regarding visit times, 8 ICUs (3.9%) had no time restrictions, that is, they had an open doors policy. In 96.1% of the ICUs some type of restriction was seen, although 42.4% complemented it with a flexible schedule or accompaniment.

During visit hours, 46.8% of the ICUs allowed access to minors although 25.6% of these ICUs had some type of age-based restriction. In 4.9% of the ICUs minors were not allowed while 48.3% of the ICUs had not child restrictions whatsoever.

Regarding patient situation, the means of communication available to each ICU and delirium were the two less mentioned topics in the guides, with 3.9% and 4.9%, respectively. The most highly mentioned recommendation regarding the

family situation were the spaces available like the waiting room or the cafeteria with 56%.

Handing out an informative guide upon the critically ill patient’s arrival to the ICU is a common practice in Spain. Its content, however, is not very representative of most aspects recommended by the SEEIUC. Two similar, though older, clinical trials conducted in the United Kingdom,³ and France⁴ also found significant mismatches between their manuals of recommendations and what the leaflets had to say about it. Therefore, it seems that the evolution experienced at the ICU setting over the last decade has not translated into written documents regarding welcoming the families of critically ill patients. On the other hand, writing down all recommendations can be expensive for the centers or over-informative for the families especially when talking about patients with short ICU stays. An alternative to this would be to combine the leaflet with extended information from the hospital official website as it is the case with several Italian ICUs.¹

The most recurring aspects picked by the guides were medical information, visit times, and rules and regulations at the ICU setting. This content responds to an old model where families with a passive role were considered external elements with highly restricted visit times and no involvement in the patient’s healthcare process whatsoever. Policy on visits is still restrictive despite multiple recommendations on the benefits of opening the doors to the patients and their families.⁵ However, almost half of the leaflets speak about making time schedules more flexible, which is why we think the tide is changing in Spain. However, it is surprising to see that the tendency to widen time visits is not accompanied by tools to facilitate patient-family communication, a common problem of critically ill patients. Also, it is surprising to see that very few ICUs proposed citizen participation despite being a common family demand.^{6,7} This




Figure 2 Percentage of recommendations included in the Spanish welcome guides.

increased time offered to the families has more to do with watching and accompanying the patient than with collaborating and being involved in the healthcare process like the IC-HU Project: Humanizing Intensive Care suggests.⁸ This is a project that triggered a paradigm shift at the Spanish ICUs.

On the other hand, access of minors to the ICU is still a controversial issue, and healthcare professionals justify this prohibition on the psychological impact or risk of infection involved,⁹ though this has proven unfounded.¹⁰ Child visits is a barrier that should be broken always with individualized planning among the family, the healthcare professional, and the patient.

Regarding information on the healthcare process, the doctor is the one handing all information out to the family while, but nurse is the big absentee here from the entire formal information process⁷ despite being the closest healthcare professional to the patient and his family.

In conclusion, the content of welcome guides shows a reality that is far from the recommendations established by the SEEIUC and the humanization of care proposed. Yet such proposals need to be included by updating the guides, something that many ICUs are already doing. What is not made available and remains unknown to the families will never be sought by these.

Authors' contributions

Both authors contributed equally to the study design, data curation and analysis, and to the process of drafting the manuscript.

Conflicts of interest

Authors declared that this study received no specific funding from any public, private or non-government organizations.

Authors declared no conflicts of interest whatsoever.

Acknowledgements

We wish to thank all those people who, anonymously and from their own working stations—nurses, nurse technicians, doctors, sales representatives, unionists, supervisors, friends or acquaintances—made their contributions so this project could become a reality.

References

- Mistraletti G, Umbrello M, Mantovani ES, Moroni B, Formenti P, Spanu P, et al. A family information brochure and dedicated website to improve the ICU experience for patients' relatives: an Italian multicenter before-and-after study. *Intensive Care Med.* 2017;43:69–79, <http://dx.doi.org/10.1007/s00134-016-4592-0>.
- Grupo de trabajo de Bioética de la SEEIUC. Recomendaciones sobre Acogida de Familiares en Unidades de Cuidados Intensivos, Madrid; 2017. Available from: <http://seeiuc.org/wpcontent/uploads/2017/10/RECOMENDACIONES-FAMILIAS.pdf>. [Accessed 1 August 2020].
- Hughes F, Robbins I, Bryan K. An analysis of information available to relatives in intensive care. *Intensive Crit Care Nurs.* 2004;20:200–5, <http://dx.doi.org/10.1016/j.iccn.2004.04.005>.
- Gallienne-Bouygues S, Soltner C, Lassalle V, Beydon L. Information booklets to patients' family and relatives. Survey of practice in a sample of 59 intensive care units, in France. *Ann Fr Anesth Reanim.* 2006;25:1105–6, <http://dx.doi.org/10.1016/j.annfar.2006.06.021>.
- Nassar Junior AP, Besen BAMP, Robinson CC, Falavigna M, Teixeira C, Rosa RG. Flexible versus restrictive visiting policies in ICUs: A systematic review and meta-analysis. *Crit Care Med.* 2018;46:1175–80, <http://dx.doi.org/10.1097/CCM.0000000000003155>.
- Velasco Bueno JM, Alonso-Ovies A, Heras La Calle G, Zaforteza Lallemand C. Equipo de investigación del Proyecto HUCI (Humanizando los Cuidados Intensivos). Principales demandas informativas de los familiares de pacientes ingresados en Unidades de

- Cuidados Intensivos. *Med Intensiva*. 2018;42:337–45, <http://dx.doi.org/10.1016/j.medin.2017.09.007>.
7. Valls-Matarín J, Guitard Sein-Echaluce (dir), ML, Trujillano Cabello J (dir). Satisfacción familiar de los pacientes ingresados en una unidad de cuidados intensivos con la información enfermera y visión enfermera. [tesis doctoral en internet]. [Lleida]: Universitat de Lleida; 2017. Available from: <http://hdl.handle.net/10803/454818>. [Accessed 1 August 2020].
 8. Velasco JM, La Calle GH. Humanizing intensive care: from theory to practice. *Crit Care Nurs Clin North Am*. 2020;32:135–47, <http://dx.doi.org/10.1016/j.cnc.2020.02.001>.
 9. Valls-Matarín J, Peradejordi-Torres RM, Calvet-González E, Jorge-Castillo A, Calvo-Alonso S, Sandalinas-Mulero I. Visita de los menores de edad en una unidad de cuidados intensivos. ¿Qué opina el personal sanitario? *Enferm Intensiva*. 2020;31:52–9, <http://dx.doi.org/10.1016/j.enfi.2019.01.003>.
 10. Knutsson S, Bergbom I. Children’s thoughts and feelings related to visiting critically ill relatives in an adult ICU: a qualitative study. *Intensive Crit Care Nurs*. 2016;32:33–41, <http://dx.doi.org/10.1016/j.iccn.2015.07.007>.

J. Valls-Matarín*, M. del Cotillo-Fuente

Unidad de Cuidados Intensivos, Hospital Universitari Mútua Terrassa, Terrasa (Barcelona), Spain

Corresponding author.

E-mail address: finavalls@gmail.com (J. Valls-Matarín).

2173-5727/ © 2022 Elsevier España, S.L.U. and SEMICYUC. All rights reserved.